



Shang Pin Shiang International Co., LTD

Address: No. 236 SEC.2.Chongde 2ND Road Beitun Dist.,
TaiChung City406, Taiwan (R.O.C.)

Tel: 04 2242 7575

Fax: 04 2247 7713

E-mail: sps85020581@gmail.com



SHANG
PIN
SHIANG

COMPANY PROFILE

Jiangsu Success Wood Products Co., Ltd
(also known as Zhongxin Pridon), is an enterprise of professional manufacturer of varieties flooring coverings

With the increasing demands of waterproof floors, We added Rigid Core Flooring and Luxury Vinyl Tiles to enrich our existing product lines in 2016. Also supply underlayment foam and moulding accessories, set a one-stop purchasing platform for our worldwide customers.

As a trusted and dependable OEM&ODM factory, we have been supplying various types of waterproof flooring to the super-chain market and the leading brands in USA and Europe. We dedicate to provide our business partners superior products and outstanding services.



SPC flooring with perfect physical performance and real wood design, is widely using in flooring decoration .



APPLICATION AREAS

SPC flooring is a good choice for residential and commercial area, like home decoration, hotel, shopping mall, and Gym.

i Pridon - SPC flooring is a good choice to install in damp area.





LAMINATE



R21203

Specification

Size: 1215x195mm

Thickness: 12mm

Available Textures: Embossed

Bevel: Painted Bevel





•R21204 Pavement

R21204


Specification

Size: 1215x195mm

Thickness: 12mm

Available Textures: Embossed

Bevel: Painted Bevel





• R21205 Pavement

R21205


Specification

Size: 1215x195mm

Thickness: 12mm

Available Textures: Embossed

Bevel: Painted Bevel





R21206


Specification

Size: 1215x195mm

Thickness: 12mm

Available Textures: Embossed

Bevel: Painted Bevel





R21208

Specification

Size:	1215x195mm
Thickness:	12mm
Available Textures:	Embossed
Bevel:	Painted Bevel





•R21214 Pavement

R21214

Specification

Size: 1215x195mm

Thickness: 12mm

Available Textures: Embossed

Bevel: Painted Bevel






SPC

SPC STRUCTURE

Know more about SPC flooring,
Pridon always bring you the best choice of flooring decoration.



3 Decor Film

Real wood design with various colors
for your choosing.

1 UV Coating

Anti-scratch, Anti-bacteria, Stain resistance, fire resistance.

2 Wear Layer

Abrasion resistance.

4 SPC Core

New environmental protection,
simple process, heat bonding, no glue.

5 IXPE Padding

Water proof, Sound absorption, Noise reduction



Seattle SERIES

Specification

Size:	1220x182mm
Thickness:	from 3.2mm to 8mm
Available Textures:	EIR, BP, Handscraped, Real Wood and more options
Bevel:	Micro-bevel, Painted bevel

Apply to geothermal



Product Model: ZXE2006-001



Product Model: ZXE2006-005



Product Model: ZXE2006-003



Product Model: ZXE2006-008





Columbia SERIES

Specification

Size:	1220x182mm
Thickness:	from 3.2mm to 8mm
Available Textures:	EIR, BP, Handscraped, Real Wood and more options
Bevel:	Micro-bevel, Painted bevel

Apply to geothermal



Product Model: ZXE2004-003



Product Model: ZXE2004-007



Product Model: ZXE2004-005



Product Model: ZXE2004-008





Atlanta SERIES

Specification

Size:	1220x182mm
Thickness:	from 3.2mm to 8mm
Available Textures:	EIR, BP, Handscraped, Real Wood and more options
Bevel:	Micro-bevel, Painted bevel

Apply to geothermal



Product Model: ZXE2009-005



Product Model: ZXE2009-007



Product Model: ZXE2009-023





K7001 SERIES

Specification

Size:	1220x182mm
Thickness:	from 3.2mm to 8mm
Available Textures:	EIR, BP, Handscraped, Real Wood and more options
Bevel:	Micro-bevel, Painted bevel

Apply to geothermal



Product Model: K7001-001



Product Model: K7001-013



Product Model: K7001-010



Product Model: K7001-015

